


Proxmox Connection

With your InfluxDB container running, you can now configure Proxmox to send data to it via the IP address and Port Number you assigned it.

- Navigate to the following page: Datacenter ---> Metrics Server



- Select Add and enter your InfluxDB information:
 - Create an API Token via the InfluxDB GUI and save it to be entered here:
 -

A screenshot of the 'Edit: InfluxDB: influxdb2' configuration form in the Proxmox GUI. The form contains the following fields:

- Name:** influxdb2
- Server:** 192.168.2.17
- Port:** 8086
- Protocol:** HTTP
- Enabled:** ☒
- Organization:** homeLAB
- Bucket:** proxmox
- Token:** unchanged
- API Path Prefix:** (empty)
- Batch Size (b):** 25000000
- Timeout (s):** 1
- MTU:** 1500
- Verify Certificate:** ☒

At the bottom, there is a 'Help' button, an 'Advanced' checkbox which is checked, and 'OK' and 'Reset' buttons.

- Click ok, and navigate back to your InfluxDB GUI. To confirm it's worked, navigate to the Data Explorer tab. Select your bucket, and you should start to see categories of Proxmox data:

○

Simple Table

CUSTOMIZE

UTC

table	_measurement	_field	_value	_time	host	nodename	object	vm1
last	group string	group string	no group double	no group dateTime:RFC3339	group string	group string	group string	group string
0	system	cpu	0	2024-03-23T23:29:24.000Z	VM 200	pve	qemu	200
0	system	cpu	0	2024-03-23T23:29:34.000Z	VM 200	pve	qemu	200
0	system	cpu	0	2024-03-23T23:29:44.000Z	VM 200	pve	qemu	200

<

1

2

3

4

5

...

8

>

Query 1 (0.07s)

+

View Raw Data

Past 1m

SCRIPT EDITOR

FROM

Search buckets

homeLAB

OPNsense

proxmox

_monitoring

_tasks

+ Create Bucket

Filter

_measurement

3

Search _measurement tag values

ballooninfo

blockstat

cpustat

memory

nics

proxmox-support

system

Filter

_field

2

Search _field tag values

cpu

cpus

ctime

disk

diskread

diskwrite

enabled

freemem

guest

Filter

host

3

Search host tag values

VM 200

pve

ubuntu-docker-engine

Filter

nodename

1

Search nodename tag values

pve

WINDOW PERIOD

CUSTOM

auto (fs)

Fill missing values

AGGREGATE FUNCTION

CUSTOM

mean

median

last

○ Your InfluxDB is now actively collecting data!

Revision #2
Created 23 March 2024 23:05:32 by Austin
Updated 24 March 2024 22:40:37 by Austin