



# Successful Connection

To test my connection, I went to my University library and tried to connect to my tailnet. As you can see below, I was able to ping my router gateway while connected to my University WiFi:





To update Tailscale, run the following commands:

```
cd /usr/ports/security/tailscale  
make deinstall
```

```
root@router:/usr/ports/security/tailscale # make deinstall  
==>  Deinstalling for tailscale  
==>  Deinstalling tailscale-1.62.1  
Checking integrity... done (0 conflicting)  
Deinstallation has been requested for the following 1 packages (of 0 packages in the universe):  
  
Installed packages to be REMOVED:  
    tailscale: 1.62.1  
  
Number of packages to be removed: 1  
  
The operation will free 29 MiB.  
[1/1] Deinstalling tailscale-1.62.1...  
[1/1] Deleting files for tailscale-1.62.1: 100%  
root@router:/usr/ports/security/tailscale #
```

```
make clean
```

```
root@router:/usr/ports/security/tailscale # make clean  
==>  Cleaning for tailscale-1.62.1  
root@router:/usr/ports/security/tailscale #
```

```
make install
```

Installation may take some time. After clean installation, restart the service:

```
service tailscaled restart
```

Check the version to confirm update:

```
tailscale version
```

```
root@router:/usr/ports/security/tailscale # service tailscaled restart
Stopping tailscaled.
Waiting for PIDS: 26136, 26136.
root@router:/usr/ports/security/tailscale # tailscale version
1.62.1
  go version: go1.22.1
root@router:/usr/ports/security/tailscale # █
```

---

Revision #4

Created 9 April 2024 13:06:46 by Austin

Updated 9 April 2024 19:04:01 by Austin